CUMULATIVE INDEX 1996

Volume 5

MARCH	THE FEMALE PATIENT, pages 1–205
JUNE	ERGONOMICS, PART 1, pages 207–311
SEPTEMBER	ERGONOMICS, PART 2, pages 313–419
DECEMBER	PHYSICAL THERAPY FOR THE PERFORMING ARTIST, PART I: DANCE, pages 421–561

Note: Page numbers of article titles are in **boldface** type.

Abdominal exercises for osteoporosis, 80
Abdominal muscles, pelvic function and, 37
Aberdeen Colles' brace, 93
Accommodations, ergonomic, 358, 364–366
Achilles tendon injuries, in dancers, 427–428, 466–467
Acromioclavicular joint injuries, in dancers, 483–484
ADA. See *Americans with Disabilities Act.*
Adolescent females, functional abilities in, 15–16
  osteoporosis in, 74–76
  posture in, 2–4
  soft tissue disorders in athletes, 148–152
  thoracic scoliosis in, 53–54
Aerobic dance, soft tissue disorders in, in female patient, 144
Aging. See *Elderly women.*
Alignment. See *Posture.*
Amenorrhea, 141–142
Americans with Disabilities Act, **353–375**
  answers to questions about, 354–355
  consulting services related to, 357
  case studies, 366–372
  employee evaluations and accommodations, fitness for duty and return to work, 364–366
  hiring, 362–364, 365
  implementing ergonomics programs, 360, 362
  job analysis and functional job descriptions, 358–360, 361–362
  reasonable accommodation, 358
  legal ramifications of noncompliance, 355–357
  resources, 375
  unlawful discrimination under, 356
Anatomy, connective tissue, 119–120
  pelvic, 23–28
Anesthesia, epidural, low back pain and, 64
Ankle, biomechanical evaluation in dancers, 464–468
  neutral exercises in standing, for dancers, 505–507
Ankle injuries in dancers, 427–428, **497–513**
  impingement, anterior, 428, 503–505
  posterior, 428, 466, 501–502
  sprains, 427
    biomechanical evaluation, 465–466
    physical therapy and rehabilitation, 163, 499–501

Anorexia nervosa, 75, 141
ANSI Z365, 329–330
Anterior cruciate ligament injury, in dancers, 506–507
  physical therapy, 163
  in women versus men, 139
Anterior impingement syndrome, in dancers, 428, 503–505
Anthropometry, in child care ergonomics, 401, 402
Arms. See *Upper extremities.*
Arthritis. See *Osteoarthritis; Rheumatoid arthritis.*
Athletes, definition, 138
  female, soft tissue disorders in, **137–166**
Athletics, ergonomics in, 377–378
Automobile seat component manufacturing, ergonomic evaluation, **257–272**
  existing manufacturing processes, 258–259
    molding, 259–261
    packaging and shipping, 263
    trimming, cleaning, inspection, and repair, 261–262
  implemented engineering controls, 270–271
  potential solutions, 265
    mold and component insert preparation/demold and mold cleaning, 265–269
    trimming and cleaning, 269–270
  problem identification, mold and component insert preparation/demold and mold cleaning, 263
    trimming and cleaning, 264–265
  review of injury records, 259

Back injuries. See also *Low back disorders.*
  in cycling, 387–389
    case studies, 393–395
Back muscle strain, physical therapy, 162
Back pain. See also *Low back pain; Lumbosacral pain.*
  in child care, 399
Balanced performance model, 224–225
Ballet injuries. See *Dance injuries.*
Basketball, ligamentous knee injury in, 139
Bassett's ligament, 504
Behavioral Risk Factor Surveillance System (BRFSS), 143–144, 146–147
Bicycling. See also *Cycling ergonomics.*
  soft tissue disorders in, in female patient, 146
Biomechanical evaluation of dancer, **455–475**
  ankle, 464–468
  foot, 468–470
  hip, 456–458
  knee, 458–462
  lower leg, 462–464
  lumbar spine, 471–474
Biomechanics, pelvic, 34–35, 38–39
Bladder, female urinary stress incontinence, 159
Body type, myofascial function and, 122–123
  of performing artists, 516–517
Bone, density, in Colles' fractures, 90–91
  loss, in older female athletes, 153–154
  osteoporosis and, 72–74. See also *Osteoporosis.*
  types, 72–73
Bone densitometry, 74, 75
Brass players, injuries in, 444–446
Breast cancer, radiation therapy complications, 189–190
Breast injuries in athletes, 158–159
Breasts, oversized, cervical pain and, 50
  thoracic pain and, 52–53
Bursitis, in dancers, 482, 507

Cadence, 9, 10–11
Calcium, recommended intake for women, 74
Calf strain, in dancers, 462–463
Cardiopulmonary changes with aging, 17
Cardiovascular training for performing artists, 537
Carpal tunnel syndrome, in musicians, 434–435
  in working women, 129–130
Car seats. See *Automobile seat component manufacturing.*
Casts for Colles' fractures, 92–94
Cells, connective tissue, 120
Center of gravity (COG), in gait, 9, 11

Cervical pain, in cyclists, 389
in female patient, causes, 48
ergonomic, 51–52
systemic, 50–51
headache and, 48–49
macromastia and, 50
rheumatoid arthritis and, 50
temporomandibular joint dysfunction and, 49–50
in working women, 126
Cervical spine, in cycling, 389
in dancers, 477–484
Cervical spondylosis, 49
Child care ergonomics, **399–414**
lifting, 411
case studies, lifting baby out of stroller, 406–409
lifting stroller into trunk of car, 409–410
education and training, 411–412
equipment design, 412–413
NIOSH guidelines, 402–404
parameters in stroller use analysis, 404–406
principles, 401–402
risk for musculoskeletal injuries, 400–401
Cleats, for cycling, 384
Coccygeus muscle, 38, 39
Colles' and distal radius fractures, in female patient, bone quality and healing in, 90–91
falls and, 90
overview/summary, 87, 88–89, 90
rehabilitation, 97–98
repair and effect on function, 91–95
soft tissue and bony injuries with, 95–97
Comprehensive ergonomics programs. See *Ergonomics programs.*
Computer programs, in ergonomic analysis, 219–220
Conditioning, for injury prevention, 140
for performing artists. See *Warm-up and conditioning program for performing artists.*
programs for work, 297–300
Connective tissue, anatomy and physiology, 119–120
in elderly women, 17
repair, 121
work-related injury. See also *Soft tissue disorders, work-related.*
pathophysiology, 120–121
Consulting services related to Americans with Disabilities Act, **353–375**
Corporate paradigms, in ergonomic analysis, 209–210
Corticosteroids, in polymyositis, in female patient, 183
Cost of low back injuries, 231–232
Cost savings, ergonomic analysis and, 211–212
Crush syndromes, in musicians, 435
Cuboid subluxation, in dancers, 468–469
Cumulative trauma, ergonomics programs, case studies, 340–341
exercise and, 295, 296, 297
in manufacturing, 294
in meat industry, 328
in musicians, 430–432
in working women, 125–126
Cybex dynamometers, 177
Cycling, soft tissue disorders in, in female patient, 146
Cycling ergonomics, **377–397**
bicycling equipment, 378–380
energy conservation, 380–381
fitting bicycle to rider, 381–385
injuries, 385–386
case studies, 390–396
lower extremity, 386–387
spine, 387–389
upper extremity, 389–390
shock absorption, 380

Dance, aerobic, soft tissue disorders in, in female patient, 144
Dance injuries, biomechanics, **455–475**
ankle, 464–468
foot, 468–470
hip, 456–458
knee, 458–462
lower leg, 462–464
lumbar spine, 471–474
foot and ankle, **497–513**
anterior impingement syndrome, 428, 503–505
flexor hallucis longus tendinitis, 427–428, 467, 502–503
patellar tendinitis, 426, 459–460, 507–508
posterior impingement syndrome, 428, 466, 501–502
prepatellar bursitis, 507

Dance injuries (*Continued*)
sprains, 163, 427, 465–466, 499–501
prevalence and mechanisms, 422
ankle, 427–428
dance floors, 429–430
foot, 428–429
hip, 422–423
knee, 423–426
lower leg, 426–427
spine, 429
profiles, 523
rehabilitation, **477–513**
foot and ankle neutral exercises in standing, 505–507
hip neutral exercises in standing, 508
pelvic girdle, lumbar spine, and hips, 484–494
shoulder girdle, cervical spine, and thoracic spine, 477–484
variable resistance exercises in dance-specific patterns, 509–512
Dancers, alignment analysis in, 517–519
body type of, 516–517
muscle imbalances in, 522–523
range of motion in, 521–522
warm-up and conditioning program for, **515–546**
Design of products/equipment, in child care ergonomics, 412–413
user-centered, **313–324**
Disability. See *Americans with Disabilities Act.*
Disabled female athletes, soft tissue disorders in, 156–158
Discrimination against disabled persons, 356, 357
Disk degeneration, lumbar, in female patient, 59–60
Disk herniation, lumbar, in dancers, 491
pregnancy and, 63
Distal radius fractures. See *Colles' and distal radius fractures.*
Diving, soft tissue injuries in, in female patient, 143
Dowager's hump, 54
Drummers, injuries in, 447–448
Dynamometers, in ergonomic analysis, 217–218
Dysmenorrhea, lumbosacral dysfunction and, 60
Eating disorders, in female patient, 75, 141
Education, in child care ergonomics, 411–412
Elderly women, falls and Colles' fractures in, 90
functional abilities in, 16–18
gait in, 14–15
osteoporosis in, 78
posture in, 8
soft tissue disorders in athletes, 152–154
spinal pain causes in, cervical, 48
lumbosacral, 57
thoracic, 48
Electromyography, in ergonomic analysis, 218
Elite female athletes, soft tissue disorders in, 141–143
Employees, evaluations and accommodations, consulting on, 362–366
involvement in ergonomics programs, 335, 337, 341
Endometriosis, lumbosacral dysfunction and, 60
Endurance, home program for performing artists, 537
Energy conservation, in cycling, 380–381
Engineering activities, injury/illness rate and, 347–348
Engineering controls, 332
in automobile seat component manufacturing, **257–272**
Entrapment neuropathy, in musicians, 434–435
Epicondylitis, physical therapy, 160–161
Epidural anesthesia, low back pain and, 64
Equipment design, in child care ergonomics, 412–413
Ergonomic administrative controls, **287–305**
definition, purpose, and criticisms, 287–288
examples and desired effects, 292
job rotation, 288–290
manufacturing example, 291
office example, 290–291
on-the-job exercises, 295–296
office example, 296–297

training, 297–299
manufacturing example, 299–300, 303–305
work scheduling, 292–293
manufacturing example, 294–295
office example, 294
Ergonomic analysis, benchmarking, 213
blame assignment in, 213–214
methodology, 222
observation, 222
paradigms, 208–211
problem identification, 212–213
rating systems, 222–223
surveys, 223
Ergonomic controls and solutions, 332, 335, 336–337, 338–339
Ergonomics, Americans with Disabilities Act consulting, **353–375**
analysis. See *Work stressors analysis.*
in athletics, 377–378
automobile seat component manufacturing, **257–272**
in child care, **399–414**
competing paradigms in analysis, 208–211
in cycling, **377–397**
environment of 1990s, 207–208
in female patient. See also *Work-related soft tissue disorders.*
cervical pain and, 51–52
thoracic pain and, 55–56
future issues, lack of coordination, 342–344
macroergonomic emphasis, 341–342
newspaper production, **273–286**
NIOSH lifting guidelines, **231–256**
past applications, 326–327
as safety and health issue, 327–328
user-centered product design, **313–324**
work stressors analysis, **207–230**
Ergonomics programs, **325–351**
coordination in, 342–344
implementation, consulting on, 360, 362
regulation, 328–330
structure, 330
case studies, 340–341
controls and solutions, 331–332, 334, 336–337, 338–339
employee involvement, 335, 337, 341
goals and components, 331
job analysis, 331, 333
medical management system, 332–335
records review, 330–331, 332, 340–341
training issues, 337, 339–340
typical industrial ergonomics approach, 330
Ergo QuEST, 219–220
Eumenorrhea, definition, 142
Exercise(s), amenorrhea from, 141–142
benefits to women, 137
for dancers, lower extremity, 505–507, 508–512
effects on labor, 155–156
on the job, 295–296
office example, 296–297
for osteoarthritis, 173–174
for osteoporosis, 78–79, 80–81
for polymyositis, 185
urinary stress incontinence from, in female patient, 159
Exercise program for performing artists, **515–546**
endurance, 537
flexibility, 531–537
functional integration, 537–538
self-care, 538–543
strengthening, 524–531
Extracellular matrix, connective tissue, 120

Falls, fractures from, Colles' fractures, 90
hip fractures, 99–101
risk factor, 86–87
Fat, body, in women versus men, 15, 16
Fatigue, job rotation and, 289–290
work scheduling and, 293
Female athlete, soft tissue disorders in, **137–166**
Female athlete triad, 75, 141–142
Female patient, fractures, **85–117**
musculoskeletal aspects of chronic diseases, **167–194**
osteoporosis, **71–84**
pelvic musculoskeletal dysfunction, **23–45**
posture, gait, and functional abilities, **1–21**

Female patient (*Continued*)
soft tissue disorders, in athletes, **137–166**
in workplace, **119–136**
spinal dysfunction, **47–69**
Femur, posterior femoral muscle strain, physical therapy, 162–163
proximal, fractures. See *Hip and proximal femur fractures.*
Fibromyalgia, in female patient, musculoskeletal aspects, 186–187
myofascial pain syndrome and, 131
rehabilitation, 187–188
symptoms and age of onset, 169
in working women, 132
Figure skating, soft tissue injuries in, in female patient, 143
Fit Kit, 378, 383, 384
Fitness-for-duty evaluation, consulting on, 364
Fixation of fractures, Colles' fractures, 91–92
hip, 102–103
pelvis, 113
proximal humerus, 106–108
spine, 111
Flexibility, in elderly women, 17
home program for performing artists, 531–537
Flexor hallucis longus tendons, in dance injury, 427–428, 467, 502–503
Foam rollers, in home exercise program for performing artists, 536, 543
Focal dystonia, 437–438
Foot, biomechanical evaluation in dancers, 468–470
neutral exercises in standing, for dancers, 505–507
problems in elderly women, 18
pronation, increased, in female patient, 14
Foot injuries in dancers, 428–429, **497–513**
flexor hallucis longus tendinitis, 502–503
Footwear, soft tissue disorders and, in female patient, 145
Forearm fractures. See *Colles' and distal radius fractures.*
Fractures, in female patient, **85–117**
Colles' and distal radius, 87, 90–98
hip and proximal femur, 98–105
osteoporotic, 54, 58, 75, 91, 110
overview, 85–86
pelvis, 113–114
proximal humerus, 105–110
rib, 114
risk factors, 86–87
sites, causes, and treatments summary, 88–89
spine. See *Vertebral fractures.*
stress, in dancers, 469–470
Fragility fractures. See *Osteoporotic fractures.*
Frames, bicycle, 378
Functional abilities, in female patient, in adolescents and adults, 15–16
in elderly, 16–18
Functional job descriptions, consulting on, 358–360, 361–362
Functional testing after job offer, 363–364, 365

Gait, 8–9
in elderly women, 14–15
high heels and, 11–12
in men versus women, 10–14
normal (gait cycle), 9–10
in osteoarthritis, 174–175
Gender, gait and, 10–14
physiologic differences, 15–16
soft tissue disorders and, 138–141
Giant cell arteritis, in female patient, 181
Gluteus muscles, pelvic function and, 37
Golf, soft tissue disorders in, in female patient, 147–148
Greater trochanter pain syndrome, 60
Grip force, in child care, 405–406
Growth spurt, 2
Gymnastics, soft tissue injuries in, in female patient, 143
Gynecologic causes of lumbosacral pain, 60–61

Hallux saltans, 503
Hallux valgus, in dancers, 470
Hand control unit for radiation therapy equipment. See *Radiation therapy equipment, hand control unit for.*
Hand injuries, in string players, 442

Handlebars, bicycle, 379–380, 384–385
Headache, cervical dysfunction and, 48–49
Head and shoulder posture, 4
Helmets, bicycle, 380
Hematocolpos, hematometra, and hematosalpinx, lumbosacral dysfunction and, 61
Herniated disks, lumbar, in dancers, 491
  pregnancy and, 63
Hip, arthroplasty, in osteoarthritis, 176
  in dancers, 484–485
    alignment, 485–487
    biomechanical evaluation, 456–458
    neutral exercises in standing, 508
    rehabilitation, 487–490
    specific problems, 422–423, 491–493
  osteoarthritis, in female patient, 170–171
    rehabilitation, 173–174
    surgical treatment, 175–177
  varus, in female patient, 12
Hip adductors, pelvic function and, 38
Hip and proximal femur fractures, in female patient, characteristics of women with, 98–99
  falls and, 99–101
  osteoarthritis and, 170
  overview/summary, 88, 98
  rehabilitation and outcome, 104–105
  repair, 102–104
  site, 101–102
Hiring, consulting on, 362–364, 365
Home exercise program for performing artists, **515–546**
Hormone replacement therapy (HRT), 77, 78
Hormones, exercise-induced amenorrhea and, 141–142
  myofascial function and, 121–122
  pelvic changes and, in female patient, 28–29, 30–31, 32–33
Human factors design, 336
Humerus, proximal, fractures. See *Proximal humerus fractures.*
The Hundred, 525
Hysterectomy, lumbosacral pain after, 61

Iliac crest pain syndrome, 60
Iliococcygeus muscle, 38, 39
Iliotibial band, in dancers, 460, 486, 488
Immobilization, for Colles' fractures, 92–94
Impingement in dancers, ankle, anterior, 428, 503–505
  posterior, 428, 466, 501–502
  hip, 492–493
  subacromial, 482
Incontinence, exercise-induced, in female patient, 159
Industrial ergonomics, 336–337
  programs, 330–341
  regulation, 328–330
Infants, lifting out of stroller, case studies, 406–409
Injury/illness rate, external events affecting, 347–351
Injury paradigms, in ergonomic analysis, 208–209
Interviews, in ergonomic analysis, 223
Inversion ankle sprains, in dancers, 465–466

Job analysis, ergonomic, 331, 333
  by physical therapists, 358–360
Job application process, 363
Job conditioning, 339–340
Job descriptions, functional, consulting on, 358–360, 361–362
Job rotation, 288–290
  manufacturing example, 291
  office example, 290–291
Joints, hypermobility, in musicians, 438–439
  laxity, gender and, 14

Kaizen, 223, 224
Keyboard players, injuries in, 439–441
Knee, arthroplasty, 177–178
  biomechanical evaluation in dancers, 458–462
  neutral exercises in standing, for dancers, 507
  osteoarthritis, in female patient, 172–173
    rehabilitation, 174, 178
    surgical treatment, 177–178
  valgus, in female patient, 12–14

Knee injuries, in cycling, 386–387, 388
in dancers, 423–426, 506–508
prevention in automobile seat component manufacturing, 267–268, 270–271
Kyphosis, postural, 3–4, 5, 7, 8
thoracic dysfunction and, 54–55

Labor, exercise effects on, 155–156
pelvic changes in, 29–31, 33
Lactation, pelvic changes with, 32–33
Laminectomy, in osteoarthritis, 176
Lateral epicondylitis, physical therapy, 160–161
Latissimus dorsi, pelvic function and, 38
Leg circles, 525
Legislation. See *Americans with Disabilities Act.*
Legs. See *Lower extremities.*
Levator ani group, 38
Liability, ergonomic analysis and, 215
Lifting, in child care. See *Child care ergonomics, lifting.*
NIOSH guidelines. See *National Institute of Occupational Safety and Health, lifting guidelines.*
repetitive, in newspaper production, 280–281
as risk factor for low back disorders, 232–234
Ligament injuries, in dancers, 461–462
Loading reduction methods, 334
Lordosis, 3, 5
Low back disorders, cost of, 231–232
occupational risk factors, 232–234
prevention in automobile seat component manufacturing, 266–267, 270–271
Low back pain. See also *Lumbosacral pain.*
in child care, 399
in cycling, 387–389
case studies, 393–395
sacroiliac joints in, 36, 61, 62
in working women, 126–127
Lower extremities, biomechanical evaluation in dancers, 462–464
cycling injuries, 386–387
case study, 395–396
dance injuries, 426–427, **497–513**
musculoskeletal gender differences, 139
postural deviations, in female patient, 12–14
Lumbar disk degeneration, 59–60
Lumbar Motion Monitor, 249
Lumbar scoliosis, in women, 56
Lumbar spine, in dancers, 484–485
alignment, 485–487
biomechanical evaluation, 471–474
rehabilitation, 487–490
specific problems, 490–494
Lumbar spondylolisthesis, 56–58
Lumbosacral pain, in female patient, causes, 57
ergonomic, 65
gynecologic, 60–61
obstetric, 61–65
systemic, 65
disk degeneration and, 59–60
greater trochanter pain syndrome and, 60
osteoporosis, vertebral sclerosis, and Paget's disease and, 58–59
scoliosis in adults and, 56
spondylolisthesis and, 56–58
Lupus erythematosus, systemic. See *Systemic lupus erythematosus.*

Macroergonomics, 341–342, 343
Macromastia, spinal pain from, cervical, 50
thoracic, 52–53
Manufacturing. See also *Newspaper production.*
administrative controls, **287–305**
automobile seat components, **257–272**
Massage, for performing artists, 540–543
Medial epicondylitis, physical therapy, 161
Medial tibial stress syndrome, in dancers, 463–464
Medical management system, in ergonomics program, 332–335
Meniscal injuries, in dancers, 461–462
Menopause, osteoporosis and, 76–77
pelvic changes with, 33–34
spinal pain and, cervical, 48
lumbosacral, 57
thoracic, 52

Menstrual cycle, pelvic changes with, 28–29
Menstrual irregularities, terminology, 142
Motor control difficulties in musicians, 437–438
Multiple sclerosis, in female patient, musculoskeletal aspects, 188
  rehabilitation, 188–189
  symptoms and age of onset, 169
Muscles, fatigue, job rotation and, 289–290
  imbalances in dancers, 522–523
  pelvic floor, biomechanics and, 38–39
  pelvic function affected by, 37–38
  posture and, 2
    in elderly women, 8
    in pregnancy, 5, 6, 7
  strain, in dancers, 493–494
    physical therapy, 162–163
  strengthening, in dancers, 479–480, 481, 488–489
  use, recovery time and, 338–339
Musculoskeletal aspects of chronic disease, in female patient, **167–194**
  diseases more common in women than in men, tabular summary, 169
  fibromyalgia, 186–188
  multiple sclerosis, 188–189
  osteoarthritis, 168, 170–178
  overview, 167–168
  polymyalgia rheumatica, 180–182
  polymyositis, 183–185
  radiotherapy complications in breast cancer, 189–190
  rheumatoid arthritis, 178–180
  scleroderma, 185–186
  systemic lupus erythematosus, 182–183
Musculoskeletal changes with aging, 16–17
  in female athlete, 152–153
Musculoskeletal disorders, in child care, 399. See also *Child care ergonomics.*
    risk factors, 400–401
  dysfunction in pelvis, **23–45**
  industrial regulation and, 328–330
  in newspaper production, ergonomic intervention, **273–286**
Musculoskeletal gender differences, 138–139
Musculoskeletal pain disorder, in musicians, 430–432
Musicians, warm-up and conditioning program for, **515–546**
Music injuries, causes, extrinsic factors, 433–434
    intrinsic factors, 432–433
  instrumentalists most injured, 439–440
    keyboard, 440–441
    percussion, 447–448
    strings, 441–444
    woodwinds and brass, 444–446
  joint hypermobility, 438–439
  motor control difficulties, 437–438
  nervous system, 434–436
  overuse syndrome, 430–432
Myofascial dysfunction of women at work, 125–133
Myofascial function, in female patient, 121–123
Myofascial pain syndrome, in working women, 130–131
Myositis, 183

National Institute of Occupational Safety and Health, lifting guidelines, **231–256**, 402–404
  1981 work practices guide, application of model, 241–242
    assumptions, 239–240
    description, 234–239
    historical perspective, 234
    validation, 240–241
  1991 revised lifting equation, application of model, 248–253
    assumptions, 246–247
    description, 242–246
    historical perspective, 242
    validation, 247
  in child care, 404–406, 411
National Wheelchair Athletes' Association, 157–158
Neck pain. See *Cervical pain.*
Neer classification of fractures, 107
Nerve injuries, in musicians, 434–436
Newspaper production, ergonomic intervention, **273–286**
  analysis, 276–278
  evaluation, 284–285
  problem identification, 275–276
  process model, 274–275

Newspaper production (*Continued*)
solution development and implementation, 278–280
awkward shoulder positions while loading inserting head, 281–283
prolonged reaching while operating main head, 283–284
repetitive lifting of circulars from low heights, 280–281
NIOSH. See *National Institute of Occupational Safety and Health.*

Obesity, lumbar disc degeneration and, in female patient, 59–60
Obstetric causes of lumbosacral pain, 61–65
Occupational cramp, 437
Occupational Safety and Health Administration (OSHA) regulations and programs, 328–330
Office environment, administrative controls, **287–305**
Ohio State University lower back disorder risk prediction model, 249–253
Oligomenorrhea, definition, 142
Orthotics, soft tissue disorders and, in female patient, 145–146
Osgood-Schlatter disease, 459
Osteitis condensans ilii, 31–32
Osteitis deformans, 58–59
Osteitis pubis, 31, 32
Osteoarthritis, in female patient, in elderly women, 18
musculoskeletal aspects, 168, 170–171
rehabilitation, 171–175
surgical treatment, 175–178
symptoms and age of onset, 169
Osteopenia, definition, 71
Osteoporosis, **71–84**
in adolescents and young adults, 74–76
aging and, 18
bone and, 72–74
bone densitometry and, 74, 75
calcium intake and, 74
in childbearing years, 76
definition, 71
diagnosis, 74
in elderly, 78
impact of, 72
lumbosacral dysfunction and, 58
perimenopausal, 76–77
physical therapy summary, 82
in pregnancy, 63–64, 76
research, 79, 81–82
rheumatoid arthritis and, 179
risk factors, 71–72
symptoms, 72
therapeutic exercise, 78–79, 80–81
thoracic dysfunction and, 54
types, 73
Osteoporotic fractures, 54, 58, 91
in adolescents, 75
spinal, 110
Osteosynthesis, 107
Overtime work, 292–293
Overuse syndrome, in musicians, 430–432
Overweight, lumbar disc degeneration and, in female patient, 59–60
Ovulation, lumbosacral pain and, 61
Oxytocin, 32–33

Paget's disease, 58–59
Pain. See also *Fibromyalgia; Reflex sympathetic dystrophy.*
from musculoskeletal dysfunction in female pelvis, 36–37
from soft tissue disorders in working women, 125–133
spinal, **47–69**
Patella, instability, in female patient, 12–13
medial taping, for osteoarthritis, in female patient, 175
tendinitis, in dancers, 426, 459–460, 507–508
Patellofemoral joint syndrome, in dancers, 460–461
Pedals, bicycle, 378–379
Pelvic girdle in dancers, 484–485
alignment, 485–487
rehabilitation, 487–490
specific problems, 490–494
Pelvic inflammatory disease, lumbosacral dysfunction and, 60–61
Pelvis, anatomy in men versus women, 23–24
pubic symphysis, 27–28
sacrococcygeal joint, 28
sacroiliac joints, 25–27

biomechanics, 34–35, 38–39
changes in women, with lactation, 32–33
with menopause, 33–34
with menstrual cycle, 28–29
in pregnancy, parturition, and puerperium, 29–32
chronic pain, in working women, 132–133
fractures, 89
function, 23
musculoskeletal dysfunction, in female patient, **23–45**
evaluation and treatment, 39–40
in pregnancy, 40–42
somatic, 35–36
muscular effects on pelvic function, 37–38
signs and symptoms, 36–37
Percussionists, injuries in, 447–448
Performing artists. See also *Dance injuries; Music injuries.*
common injuries in, **421–453**
warm-up and conditioning program for, **515–546**
Personnel, supervisory, injury/illness rate and, 349
Physiology, connective tissue, 120
gender differences, 15–16
Pilates Method, 524–526, 534–535
Piriformis, pelvic function and, 38
pregnancy and, 62
Plantar fasciitis, in dancers, 470–471
Plantar flexion sign, 501
Plaster cast for Colles' fractures, 92–93
Polymyalgia rheumatica, in female patient, musculoskeletal aspects, 180–181
rehabilitation, 181–182
symptoms and age of onset, 169
Polymyositis, in female patient, musculoskeletal aspects, 183
rehabilitation, 183–185
symptoms and age of onset, 169
Posterior femoral muscle strain, physical therapy, 162–163
Posterior impingement syndrome, in dancers, 428, 466, 501–502
Postpartum cervical spine dysfunction, 51–52
Posture, in dancers, 478–480, 485–487
in ergonomic analysis, 219
evaluation in performing artists, 517–519
in female patient. See also *Ergonomics; Gait.*
in adolescent females, 2–4
in childbearing years, orthopedic complications, 6–7
postnatal, 5–6
prenatal, 5
definitions, 1–2
in elderly women, 8
in men versus women, 4
research recommendations, 18–19
in workplace, 125–126
improvement for job, 336–337
in musicians, 436
Pregnancy, lumbosacral pain in, 61–65
osteoporosis and, 63–64, 76
pelvic changes in, 29–32, 33
pelvic musculoskeletal dysfunction in, evaluation and treatment, 40–42
posture and, 5–7
soft tissue disorders in athletes, 154–156
Prepatellar bursitis, in dancers, 507
Product design, user-centered, **313–324**
Production control efforts, injury/illness rate and, 350–351
Productivity, ergonomics and, 336–337
Product modification, injury/illness rate and, 347–348
Professional paradigms, in ergonomic analysis, 209–210
Proximal femur fractures. See *Hip and proximal femur fractures.*
Proximal humerus fractures, in female patient, classification, 106–107
fixation, 106–109
overview/summary, 88, 105–106
rehabilitation, 109–110
Psoas insufficiency syndrome, in dancers, 473
Pubic symphysis, in female patient, anatomy, 27–28
biomechanics, 34–35
dysfunctions, 35–36
signs and symptoms, 36–37
pregnancy and, 62–63
Pubococcygeus muscle, 38, 39
Pulse monitors, in ergonomic analysis, 218–219

Q angle, in women versus men, 139
Quadratus lumborum, pelvic function and, 38
Quadriceps-to-hamstring torque ratio, in osteoarthritis, 172
Quadriceps torque in dance, 426, 461
Quality improvement, ergonomic analysis and, 214–215
  Kaizen model, 224, 225
Questionnaires, in ergonomic analysis, 223

Racquet sports, soft tissue disorders in, in female patient, 146–147
Radiation therapy equipment, hand control unit for, **313–314**
  displays, 323–324
  manufacturer's perceived need for new design, 318–321
  problem, 314–315
  problem-solving process, 315–318
  shape, size, and weight, 321–323
Radiation therapy for breast cancer, complications of, 189–190
Radius, distal, fractures. See *Colles' and distal radius fractures.*
Range of motion, in dancers, 521–522
  in ergonomic analysis, 219
Records review, in ergonomics program, 330–331, 332, 340–341
Recovery time, muscle use and, 338–339
Recreational female athletes, soft tissue disorders in, 143–148
Reflex sympathetic dystrophy, in Colles' fractures, 95–97
Regulatory compliance, ergonomic analysis and, 212
Rehabilitation, return-to-work, 297–300
Relaxin, 28–29, 30–31, 32–33
Repertoire analysis, 520
Repetitive strain injury, in musicians, 430–432
Repetitive strain reservoir, 225–228
Reports, in ergonomic analysis, 220–222
Resistance exercises, in dance-specific patterns, 509–512
Resistive band exercises for performing artists, 526, 528, 536–537
Return to work evaluation, consulting on, 365–366
Rheumatoid arthritis, in female patient, cervical dysfunction and, 50
  musculoskeletal aspects, 178–179
  rehabilitation, 179–180
  symptoms and age of onset, 169
  in working women, 131–132
Rib fractures, in female patient, 89, 114
Rolling-in of the foot, 427, 462
Rotator cuff impingement, physical therapy, 160
Rotator cuff tendinitis, in dancers, 482–483
Running, soft tissue disorders in, in female patient, 144–146

Sacral insufficiency fractures, 58
Sacrococcygeal joint, in female patient, anatomy, 28
  dysfunctions, 35, 36
Sacroiliac joints, in dancers, 473–474, 491–492
  in female patient, anatomy, 25–27
    biomechanics, 34–35
    dysfunctions, 35
      signs and symptoms, 36
    in low back pain, 61, 62
Saddle height and positioning, for cycling, 381, 383
Safety and health issues in ergonomics programs, **325–351**
Safety programs, injury/illness rate and, 350
The Saw, 535
Scleroderma, in female patient, musculoskeletal aspects, 185
  rehabilitation, 185–186
  symptoms and age of onset, 169
Sclerosis. See *Multiple sclerosis; Scleroderma.*
Scoliosis, in female patient, 4
  lumbar, in adults, 56
  thoracic, in adolescents, 53–54
Screening after job offer, 363–364, 365
Screwing the knees, 424
Seasonal events, injury/illness rate and, 350
Shin pain, in dancers, 463
Shock absorption, in cycling, 380
Shoes and shoe inserts, soft tissue disorders and, in female patient, 145–146

Shoulder girdle in dancers, 477–478
alignment, 478–480
rehabilitation, 480–482
specific problems, 482–484
Shoulder injuries, fractures. See *Proximal humerus fractures.*
prevention in newspaper production, 281–284
in string players, 442
Shoulder instability, in dancers, 484
Single-Leg Stretch, 526
Snapping hip, 457–458, 492
Softball, soft tissue disorders in, in female patient, 147
Soft tissue disorders, in female patient, anatomy and physiology of connective tissue, 119–120
in athletes, **137–166**
common injuries and prevention, 139–140
in disability, 156–158
elite athletes, 141–143
musculoskeletal gender differences, 138–139
nonorthopaedic injuries, 158–159
older athletes, 152–154
physical therapy for specific injuries, 160–163
in pregnancy, 154–156
recreational athletes, 143–148
training response and, 140–141
in youth, 148–152
work-related, **119–136**
historical perspective, 123–124
myofascial function and, 121–123
pathophysiology of injured connective tissue, 120–121
specific disorders, 126–133
Software, in ergonomic analysis, 219–220
Spine. See also *Cervical spine; Lumbar spine; Thoracic spine.*
cycling injuries, 387–389
case studies, 393–395
dance injuries, 429, 490–494
dysfunction in female patient, **47–69**
cervical pain, 48–52
curvature, 3–5, 6, 8
fractures. See *Vertebral fractures.*
lumbosacral pain, 56–65
postural disorders, 3–5
thoracic pain, 52–56
Spine Stretch, 534–535
Spondylolisthesis, in dancers, 473
Spondylolysis, in dancers, 472–473, 490–491
Spondylosis, cervical, 49
Sprains, ankle, in dancers, 427, 465–466, 499–501
Standing posture. See *Posture.*
Steida's process, 428
Step duration, 9
Step length, 9
Steroids, in polymyositis, in female patient, 183
Strength, in men versus women, 122
testing, after osteoarthritis surgery, 177
in polymyositis, 184
training guidelines for prepubescent children, 151–152
Strengthening, home program for performing artists, 524–531
pelvic girdle, in dancers, 488–489
shoulder girdle, in dancers, 481
Stress fractures, in dancers, 469–470
Stretching exercises for performing artists, 531–537
Stride length, 9, 10, 11
String players, injuries in, 439–440, 441–444
Strollers, in child care ergonomics, 400, 401–402, 404–410, 412–413
Subacromial impingement, in dancers, 482
Supervisory personnel, injury/illness rate and, 349
Support garments, for pelvic musculoskeletal dysfunction in pregnancy, 41
Swimming, soft tissue disorders in, in female patient, 147
Swiss therapy ball, 528, 531
Synovitis, of acromioclavicular joint, in dancers, 484
Systemic lupus erythematosus, in female patient, musculoskeletal aspects, 182–183
rehabilitation, 183
symptoms and age of onset, 169
Systemic sclerosis. See *Scleroderma.*

Temporomandibular joint, cervical pain and, 49–50
in musicians, 442, 445

Tendinitis in dancers, Achilles tendon, 427–428, 466–467
flexor hallucis longus tendon, 427–428, 467, 502–503
patella, 426, 459–460, 507–508
rotator cuff, 482–483
TENS, for osteoarthritis, 175
Testing, functional, after job offer, 363–364, 365
Theraband exercises, in dance-specific patterns, 509–512
Thoracic outlet syndrome, in female patient, 7, 49
in working women, 127–129
in musicians, 434, 435, 436
Thoracic pain, in female patient, causes, 52
ergonomic, 55–56
systemic, 55
macromastia and, 52–53
osteoporosis and postural kyphosis and, 54–55
scoliosis in adolescents and, 53–54
Thoracic spine, in dancers, 477–484
Tibial bowing (varum), in dancers, 462
Tomasen's sign, 503
Total hip arthroplasty, 176–177
Total knee arthroplasty, 177–178
Training, in child care ergonomics, 411–412
in ergonomics program, 337, 339–340
occupational, 297–299
manufacturing example, 299–300, 303–305
Training response, gender and, 140–141
Transcutaneous electrical nerve stimulation (TENS), for osteoarthritis, 175
Trauma, cumulative. See *Cumulative trauma.*
Trigger points, 130–131
in performing artists, 541
Trigger toe, 467–468
Trochanteric fractures, in female patient, 101–102, 104
Trunk support, in automobile seat component manufacturing, 266–267
Turnout of foot, 485

Ulnar nerve compression, in cycling, case study, 391–392
University of Michigan ergonomics software, 219
Upper extremities, in dancers, 481
injuries, in cycling, 389–390, 391
case study, 391–392
in string players, 442
musculoskeletal gender differences, 138–139
Urinary stress incontinence, exercise-induced, in female patient, 159

Velocity, in gait, 9, 10, 11
Vertebral fractures, in female patient, overview/summary, 89, 110–111
rehabilitation and outcome, 112–113
repair, 111–112
Vertebral sclerosis, 58
Video cameras and video cassette recorders, in ergonomic analysis, 216–217
Visual exercises, 296–297
Volleyball, ligamentous knee injury in, 139

Walking, soft tissue disorders in, in female patient, 144
Warm-up and conditioning program for performing artists, **515–546**
designing home exercise program, 523–524
endurance, 537
flexibility, 531–537
functional integration, 537–538
self-care, 538–543
strengthening, 524–531
discipline-specific musculoskeletal considerations, 520–523
repertoire analysis in, 520
technique assessment in, 516–520
Weight lifting. See *Lifting.*
Wheelchair female athletes, soft tissue disorders in, 156–158
Wisconsin pilot program, 329
Women. See *Female patient.*
Women's Health Initiative, 82
Woodwind players, injuries in, 444–446
Work hardening, 297–298

Work-related soft tissue disorders, in female patient, **119–136**
historical perspective, 123–124
myofascial function and, 121–123
pathophysiology of injured connective tissue, 120–121
specific disorders, 125–133
Work scheduling, 292–293
manufacturing example, 294–295
office example, 294
Work stressors analysis, **207–230**
paradigms, analytic, 210–211
injury, 208–209
professional and corporate, 209–210
process framework, content, 224–228
methodology, 222–224
purpose of analysis, 211–216
reports, 220–222
tools for analysis, 216–220
Wrist fractures. See *Colles' and distal radius fractures.*
Wrist injuries, in string players, 442

Young female athletes, soft tissue disorders in, 148–152